

NESTABLE CONTAINERS

NC-011 / NC-012



Plastic Nestable Containers are designed to improve handling processes and reduce storage costs. They can be stacked by lid or on pull-out arms. When empty, they can be nested, allowing a significant reduction in volume.

TECHNICAL DATA

CODE	NC-011	NC-012
Extrenal Dimensions LxWxH (mm)	600 X 400 X 280	600 X 400 X 330
Inner Dimensions LxWxH (mm)	510 X 350 X 250	510 X 350 X 300
Volume (L)	44	53
Capacity (kg)	17	20
Standard Color	● ●	● ●
Client LOGO	Customized	Customized
Temperature	-20 / +60 C	-20 / +60 C
Truck Load	2500 PCs	2500 PCs

OPTIONS ON REQUEST

Client LOGO Engraved	×
Fire Retardant	×
Anti Static Agent	×
RFID	✓

KEY FEATURES

Smooth internal surface

Attached hinged lid for seal theft protection

75%, saves valuable space on return transport

Stacked up to seven high carrying a unit load of 35 kg

Safe to handle

Light in weigh

- The values indicated are approximate and are based on practical experience and ISO 8611-1, evenly distributed load over pallet surface, at ambient temperature (23° C) for a specific time. Different load conditions produce different values that have to be checked at the customer's request. Any deterioration or breakage in the pallet may vary these results.
- Due to the characteristics of plastic materials and manufacturing process, the dimensions and the weight of the pallets may present certain tolerances.
- The specification can be affected in case of alteration of the product with parts and / or materials different from those approved by the RePall quality department.
- RePall reserves the right to modify any information herein indicated without prior notice.
- Any warranty, specification or liability on the part of RePall will be terminated in case of modification of the product with spare parts not supplied by RePall.

